




KIA Roller Industry Co.,Ltd



SKF 6007-RS1 deep groove ball bearings

Bearing No. 6007-RS1

6007-RS1 Bearing 2D drawings and 3D CAD models

Size	35x62x14 mm
Bore Diameter	35 mm
Outer Diameter	62 mm
Width	14 mm
d	35 mm
D	62 mm
B	14 mm
C	14 mm
d1	43,7 mm
d2	– mm
r1 min.	39,6 mm
r2 min.	39,6 mm
D1	55,7 mm
D2	1 mm
da min.	43,7 mm
Da max.	57,4 mm
ra max.	1 mm
Weight	0,16 Kg
Basic dynamic load rating (C)	16,8 kN
Basic static load rating (C0)	10,2 kN
Fatigue load limit (Pu)	0,44
Reference speed	– r/min
Limiting speed	7000 r/min
Calculation factor (f0)	15
Category	Single Row Ball Bearings
Inventory	0.0



KIA Roller Industry Co.,Ltd

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.159
EAN	7316577096531
Product Group	B00308
Enclosure	1 Seal
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	35MM Bore; 62MM Outside Diameter; 14MM Outer Race Diameter; 1 Seal; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	6007-RS1
Weight / LBS	0.35
Bore	1.378 Inch 35 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter



KIA Roller Industry Co.,Ltd

d_1	43.75 mm
D_2	55.61 mm
d_a min.	39.6 mm
d_a max.	43.7 mm
D_a max.	57.4 mm
r_a max.	1 mm
Basic dynamic load rating C	16.8 kN
Basic static load rating C_0	10.2 kN
Fatigue load limit P_u	0.44 kN
Calculation factor k_r	0.025
Calculation factor f_0	15
Mass bearing	0.16 kg